



# Agromet Advisory Bulletin Kannur District (Valid from 03.08.2022 to 07.08.2022)



## Agromet Advisory Bulletin for the District, Kannur (03.08.2022 to 07.08.2022)



(Issued jointly by Kerala Agricultural University Regional Agricultural Research Station Pilicode & India Meteorological Department)

Bulletin Number: Pilicode/Knr-61/2022 Date: 02/08/2022

#### A. Weather Summary of preceding five days

Rainfall, mm	Max. temp., °C	Min. temp., °C	R. H., %	Wind speed, Km/h
28	29.2 - 32.9	23.5 - 25.9	76 - 95	04 - 12

#### B.Weather forecast for next five days

Parameters	03-08-2022	04-08-2022	05-08-2022	06-08-2022	07-08-2022
Rainfall, mm	70	140	140	70	40
Max. Temp, °C	29	28	30	30	32
Min. Temp, °C	23	23	25	25	25
Max. Relative Humidity, %	97	97	97	97	97
Min. Relative Humidity, %	92	92	92	92	92
Wind speed, km/h	14	20	20	18	10
Wind direction, degrees	340	340	320	250	320
Total cloud cover, octa	8	8	8	8	8

### C. Agrometeorological Advisories

Crop	Stages	Problems	Agro-meteorological advisories			
	Extremely heavy rain falls**					
<u>General</u> conditions	Isolated Extremely heavy rainfall (more than 20cm in 24 hours) is very likely to occur on 3rd and 4 <sup>th</sup> August 2022. Isolated Heavy to very heavy rainfall (7 – 20 cm in 24 hours) is very likely to occur on 5 <sup>th</sup> August 2022. Isolated Heavy (7 – 11 cm in 24 hours) rainfall is very likely to occur on 6 <sup>th</sup> and 7 <sup>th</sup> August, 2022. Thunderstorm with lightning is very likely to occur at isolated places from 3rd August 2022 to 7th August 2022.					
<u>General</u> <u>Recommen</u> <u>dations</u>	feeds and fertilizer the livestock. Kee forms. Beware of heavy under the trees and	ra, pulses, vegetables, seeds, etc. and animal houses. Collect and store sufficient feeds for ttle feeds on moisture free and elevated plant working when there is lightning. Don't rest other soft stemmed crop plants.				
	Neither keep the	livestock in open places, no	or allow them for grazing. They should be			

	sheltered under strong roofs.				
	Postpone activities like fertilizer application, sowing etc till climatic conditions become favourable.				
	Beware of landslid	Beware of landslides in vulnerable hilly areas.			
	Closely follow the	osely follow the directions of disaster management authorities			
Coconut	Various stages	Protect the newly planted seedlings from water accumulation in the pits by forming raised bunds around the banks of the pit. Raking of soil should be done immediately after the withdrawal of heavy rainfalls. Apply lime also in the soil at the time of raking.			
Paddy	All stages	Keep the fields drained. Open all the drainage channels. Immediately after the withdrawal of heavy rainfalls keep porcelain bags filled with bleaching powders at the face of water entry into the fields.			
Crops cultivated in Rain shadows	All stages	Provide good wind breaks surrounding the structures.			
Banana	Various stages of growth	ges of Ensure very good drainage. Provide strong propping to the crops.			
Animal Husbandry	All animals Do not keep them under open conditions any time on these days. Shelter th moist free strong structures. Ensure buffer stock of food materials for them.		-		
** Warning colour codes of rainfall (for disaster management)					
Warning (Ta	Warning (Take actions)Alert (Be prepared)Watch (Be updated)No warning (No actions)				

Sd/-Nodal Officer, GKMS Project, RARS Pilicode